



SANITATION CHEMICALS RANGE

To ensure the efficient operation of your mobile toilet system, it is necessary to use toilet additives. There are additives for the waste holding tank, for the flush water tank and there are maintenance products.

FLUSHWATER ADDITIVES

Flush water tank additive keeps the water 'fresh', ensures a smoother, better flush and leaves a protective film in the toilet bowl.

- TLT079** THETFORD AQUA RINSE 1.5 L PINK
- TLDEC15P** DOMETIC EXTRACARE PINK 1.5 LTR LIQUID

TOILET WASTE HOLDING TANK ADDITIVES

Waste holding tank additives reduce unpleasant odours and gas build-up, break down waste matter and prevent clogging. They also prevent deposits from sticking to the inside of waste tanks. Toilet additives are necessary to make mobile sanitation systems work trouble free.

- TLT072** THETFORD AQUAKEM GREEN 1.5 LTR LIQUID
- TLT073** THETFORD AQUAKEM BLUE 1 LTR LIQUID
- TLT074** THETFORD AQUAKEM BLUE 2 LTR LIQUID
- TLT080** THETFORD AQUAKEM BLUE SACHETS 1 TUB OF 15 SACHETS

- TLDSC15G** DOMETIC SPECIALCARE ECO GREEN 1.5 LTR LIQUID
- TLDPC15B** DOMETIC POWERCARE BLUE 1.5 LTR LIQUID
- TLDPCTAB** DOMETIC POWERCARE TABS 16 1 DOSE TABLETS

TOILET ROLL

Specially formulated toilet tissue to break down quickly in the holding tank. Use of domestic multi layer tissue will clog your toilet mechanism as it takes a considerable time to dissolve and break down.

- TLT070** THETFORD AQUA SOFT PACK OF 4 ROLLS
- TLDCC** DOMETIC COMFORTCARE LOO ROLL (Pk2)

GREY WASTE TANK FRESHNER

Thetford Tank Freshener is an effective additive for the grey water tank. The grey water tank holds shower, washbasin and kitchen wastewater. After a while deposits build up in the grey water tank resulting in unpleasant smells. To combat this, Thetford Tank Freshener can simply be added directly into sink or shower drain, guaranteeing a fresh and clean grey water tank. Pleasantly pine-scented.

- TLTFR15** THETFORD TANK FRESHENER FOR GREY WASTE TANKS 1.5 L bottle

MAINTENANCE PRODUCTS

TLSLUB THETFORD SEAL LUBRICANT 200-ml aerosol (C)
Thetford seal lubricant specially developed for lubricating door and toilet seals, locks, hinges, awning rails, bicycles, etc. It also ensures a smooth operation of your toilet valve blade. 200-ml aerosol

TLPLSY THETFORD BATHROOM CLEANER PLASTIC SPRAY (F)
Thetford plastic cleaner is active foam for easy, safe and thorough cleaning of all plastic surfaces in caravans and motorhomes. The active foam removes hard water stains and ensures perfect hygiene and a brilliant shine. 500-ml trigger spray.

- TLCBCL** THETFORD TOILET BOWL CLEANER 750ml
- TLDQC** DOMETIC QUALITYCARE BOWL CLEANER 473ml

A plastic and ceramic safe cleaning agent for the toilet bowl of mobile toilets that will not destroy the seals like bleach based cleaners. Unique descaling qualities, easily removes soil & scale deposits, prevents growth of soil leaving a beautiful shine & brilliance. Thick concentrated formula coats the bowl for better cleaning, targets hard to reach areas of the bowl, leaving a fresh scent.

- TLCBTC** THETFORD CASSETTE BASE TANK CLEANER
- TLDTC** DOMETIC TANKCARE 475ml

A cassette tank cleaner will clean and maintain the waste tank of your cassette or portable toilet, removing organic & inorganic scale from tank and mechanism.

Blue Bio

Blue BIO is a new generation portable toilet fluid that works through NATURAL BIOLOGICAL ACTIVITY (enzymes). As a result, it's safe to use and harmless to humans, pets and wildlife. 2in1 - Toilet, Waste & Flush Tank Additive.

Up to 50 doses in a 1 Litre bottle! Up to 33 doses if used in both the waste & flush tank. Blue BIO enzyme bacteria work with the natural bacteria present in sewage to accelerate the NATURAL breakdown /degradation of waste

- TLTBBIO** BLUE BIO 1 LITRE BOTTLE



CAKTSC100 NEW TANKKLEEN FRESH TANK CLEANER STERILISER.

Tankkleen is the only product we recommend for cleaning C.A.K. Tanks and water systems. It is very safe and leaves no after taste as it is used also for cleaning winemaking equipment. Do not be tempted to use chlorine based cleaners as they will attack piping and other plastics leaving a nasty medical taste.




WE NOW OFFER INSTALLATION SERVICE IN KENILWORTH BY SupremeTech.co.uk




ACCESSORIES FOR AQUA MAGIC, MKIV, MKV STARLITE, ELECTRA MAGIC & BRAVURA



- 1 **1659** BOND ON ADAPTOR TANK TO EZ-VALVE
- 2 **1959** THREAD ON ADAPTOR EZ-VALVE
- 4 **4100** EXTENSION HANDLE 10" FOR 08707
- 5 **8707** 2X SLIDE EZ-VALVE REQUIRES 4100
- 6 **8706** 2H SLIDE EZ VALVE STANDARD VALVE
- 8737** SLIDE VALVE TO ADAPTOR SCREWS
- 1457** ADAPTOR SEAL BOND ON SLIDE VALVE



- 7 **1665** CURVED HOSE BAYONET ADAPTER
- 8 **1952** DOUBLE ENTRY COLLECTOR
- 9 **2593** BUMPER HOSE BAYONET ADAPTER
- 10 **1639** BAYONET RING
- 11 **1664** BAYONET CAP
- H7S** 3" FLEXI DISCHARGE HOSE / MTR (See P24)
- H7FL** 3" LAYFLAT DISCHARGE HOSE / MTR (See P20)



- 12 **8648** MALE THREADED 3" PIPE 10"
- 13 **8529** MALE THREADED 3" PIPE 8"
- 14 **2621** CLOSET FLOOR FLANGE FEMALE THREAD
- 15 **2620** CLOSET FLOOR FLANGE MALE THREAD
- 16 **7580** CLOSET FLOOR FLANGE PLAIN (NPT)
- HC7** 3" HOSE CLIP FOR H7S DISCHARGE HOSE (See P24)

AQUA MAGIC V

The NEW Aqua Magic V is a modern, economical model that is easy to install and is operated by one two stage lever at the top of the toilet. This toilet can be supplied in two heights. In the case of the high model the waste tank is installed under the floor, and with the low model it is installed above the floor when used in boats.

Features:

- * Finish: white
- * Hook-up to vehicles central water tank: yes
- * Hand operated by a 2 stage lever
- * Better flush – full bowl coverage
- * Waste tank capacity: dependent upon vehicle
- * Flush water tank capacity: dependent upon vehicle
- * Depth 455mm x Width 383mm x Height 5L 329mm, 5H 445mm

- TLTAM5L** Aqua magic V low hand lever operated white
- TLTAM5H** Aqua magic V high hand lever operated white

BRAVURA

The Bravura is a floor mounted, fresh water-flush toilet. Flush water for the Bravura is drawn from an independent pressurised water supply. Waste is released into a permanent holding tank, which is installed below the floor, and is drained off outside the caravan or motorhome with the slide valve. Low model suitable for boats with above floor holding tank.

Features:

- * Finish: white
- * Hook-up to vehicles central water tank: yes
- * Convenient single-foot-pedal operation
- * Powerful pulsating flush with full bowl coverage
- * Comfortable seat and height
- * Deep bowl so less splashing
- * Stylish design and smooth surface allowing easy cleaning
- * Easy installation and access of parts
- * Available in high and low profiles

- TLTAMBL** Aqua magic Bravura low pedal operated white
- TLTAMBH** Aqua magic Bravura high pedal operated white

ELECTRA MAGIC

This is a recirculating toilet suitable for buses and touring units. A silent toilet that never gets blocked. This model does not require a separate waste holding tank nor a connection to a water supply line. The toilet is charged with clean water and toilet additive. The pump recycles the fluid and solids are collected by a double filter system. The double filter system takes away any risk of obstruction. An easy to read level indicator signals the initial charge level and warns when the waste tank is almost full. A valve underneath the toilet is opened to evacuate the waste into a holding tank, and the process starts again. The tank is then emptied at an authorised disposal point. Toilet can be operated on it own capacity without a holding tank is the installation need require this.

Features:

- * Finish: parchment
- * Flush: electric (12 or 24 Volt versions)
- * Initial charge volume (fresh water + toilet additive): 9,2 L
- * Waste capacity: 14,3L
- * Total unit capacity: 23,5L

- TLTEMAG12** Electra magic recirculating 12 v
- TLTEMAG24** Electra magic recirculating 24 v


PERMANENT TOILET DISCHARGE HOLDING TANKS

Toilet discharge holding tanks are available from our vast range of standard sizes. See tank illustrations at beginning of catalogue. A simple installation scheme drawing is published here, see right. Technical and system design advice available. Full range of Thetford spares and accessories supported.

WE ARE THETFORD'S PREMIER SPARES & SERVICE CENTRE. WE ARE ABLE TO SUPPLY ANY THETFORD SPARE PART THAT IS CURRENTLY AVAILABLE & QUITE A RANGE OF OBSOLETE PARTS. WE HAVE THE FACILITIES TO INSTALL SERVICE AND REPAIR THE FULL THETFORD PRODUCT RANGE.




MKV HIGH **MKV LOW**




BRAVURA



ELECTRA MAGIC



WE NOW OFFER INSTALLATION SERVICE IN KENILWORTH BY SupremeTech.co.uk



THETFORD TOILETS



Thetford & Dometic Toilets

NEW PORTA POTTI EXCELLENCE

The Porta Potti Excellence has by far the most striking design and innovative features of all. The Porta Potti excellence has a Modern design, more homelike toilet shape with a Comfortable seating height (440 mm), Bigger bowl size, mainly in depth and width, User friendly valve handle at side, Integrated toilet paper holder, Flush-water & waste water level indicators, Cover controls (for piston pump, water fill cap, water level indication), Water fill adaptor and Improved carry handle of the water tank. White, Ivory and Ruby red with manual piston pump or Granite with battery operated electric pump (six 1.5v AA batteries enough for 500 to 700 flushes)

Waste tank capacity 21L, flush water capacity 15L, Seating height 443mm, height 458 x width 388mm x depth 450mm

- TLPEXMW PORTA POTTI EXCELLENCE MANUAL WHITE
- TLPEXMY PORTA POTTI EXCELLENCE MANUAL IVORY
- TLPEXMR PORTA POTTI EXCELLENCE MANUAL RUBY
- TLPEXEG PORTA POTTI EXCELLENCE ELECTRIC GRANITE
- TLPEXMP FLOOR MOUNTING PLATE FOR PP EXCELLENCE

NEW PORTA POTTI QUBE

Porta Potti Qube forms the basis for our new generation of durable portable toilets. We guarantee all the quality you have become accustomed to, transformed into a new and fresh design. The smooth lines and subtle curves are not just important towards the appearance of our toilets; they also provide optimum comfort and ease of use. The toilets are equipped with an integrated cover lock, a recess for opening the cover, an improved blade opener as well as a more comfortable handle on the waste-holding tank. The stopper on the waste-holding tank holds the emptying spout in position, making it easier to mount one tank on top of the other. Our Porta Potti's come with a three year warranty. HOLD DOWN BRACKET INCLUDED WITH PPQ335 OPTIONAL KIT AVAILABLE FOR PPQ365.

All Thetford Porta Potti and Cassette toilets have the unique swiveling pour out spout system and pressure release button for splash free emptying.

CASSETTE C-200 SWIVEL BOWL

The elegant, domestic bathroom style bowl of the Thetford Cassette C-200 can be swiveled through 180 degrees on its pedestal locking securely at any stage the user chooses. So the toilet can be fitted freestanding against any single wall in the vehicle bathroom area. And the bowl can be swiveled away after use to liberate space. A led signal that lights automatically when the holding tank is nearly full, and a contoured shape that shrugs off shower water are amongst other unique features. **C200CS** uses water directly from the fresh cold water supply system in the vehicle. Suitable for pressurised and micro switched water systems. **C200CW** uses water manually pumped from its built in fresh water tank within toilet. Toilet requires a waterfill door installed on outside in addition to door used for cassette base tank removal. **C200CWE** has similar features to the C200CW with the addition of touch button electric flush.

THETFORD C200 TOILET BOXED INSTALLATION KITS INC DOOR

- TLTC200CS CASSETTE C200CS DIRECT ELECTRIC WHITE + DOOR 3
- TLTC200CW CASSETTE C200CW MANUAL WHITE + WATERFILL & DOOR 3
- TLTC200CWE CASSETTE C200CWE ELECTRIC WHITE + WATERFILL & DOOR 3
- THETFORD C200 TOILET & WASTE CASSETTE ONLY NO DOOR OR ACCESSORIES
- TLTC200CSND CASSETTE C200CS DIRECT ELECTRIC WHITE NO DOOR
- TLTC200CWND CASSETTE C200CW MANUAL WHITE NO DOOR
- TLTC200CWEND CASSETTE C200CWE ELECTRIC WHITE NO DOOR
- 23786 Optional outside vent kit for C200.

SPARE CASSETTE BASE TANKS

All our base tanks are new original products from Thetford. They will come correctly handed as per your ordered hand. You will not need to modify or dismantle them; they will glide straight in ready for use. To identify the handing of your required base tank, it is handed by describing the end of the toilet where the door is to remove the cassette. **This handing is described as seated on the toilet NOT AS LOOKING AT IT.** This does not apply to the C200 & C250 swivel bowl units as their base tanks only slide in one way. You can identify which model toilet you have by locating the silver and blue Thetford serial number label just inside the door end of the toilet.

C200 SWIVEL BOWL

Spare base tank for C200 series swivel bowl all models. Picture A.

- TLTC200BTANK C200 base tank complete

C250 / C260 SWIVEL BOWL


Spare base tank for New C250/C260 series swivel bowl all models. This model base tank is complete with wheels.

- TLTC250BTNK C250 base tank complete (Wheeled model). Picture B.


C2, C3, C4 FIXED BOWL OLDER BENCH MODEL

This is the base tank for the older model bench toilet. Handing is identified as seated on the toilet.

- TLTC234BTNKL C2, C3, C4 LEFT HAND BASE TANK. Picture D
- TLTC234BTNKR C2, C3, C4 RIGHT HAND BASE TANK. Picture D



PORTA POTTI SPECIFICATIONS					
	145	165	335	345	365
STOCK CODE WHITE	NO	NO	PPQ335W	TLPPQ345W	TLPPQ365W
STOCK CODE RUBY	NO	NO	NO	NO	TLPPQ365R
STOCK CODE GREY	TLPPQ145G	TLPPQ165G	NO	NO	NO
FLUSH	BELLOW	BELLOW	PISTON PUMP	PISTON PUMP	PISTON PUMP
WASTE TANK CAPACITY	12	21	10	12	21
WASTE LEVEL INDICATOR	NO	NO	YES	YES	YES
FLUSH WATER CAPACITY	15	15	10	15	15
FLUSH WATER LEVEL INDICATOR	NO	NO	NO	NO	NO
SEATING HEIGHT	324	408	308	324	408
HEIGHT	330	414	315	330	414
WIDTH	383	383	342	383	383
DEPTH	427	427	382	427	427



CASSETTE C200 CS

CASSETTE C200 CW, CWE

C200 CASSETTE SPECIFICATIONS			
MODEL	C200CW	C200CWE	C200CS
FLUSH	MANUAL	ELECTRIC	ELECTRIC
WASTE TANK CAPACITY	17LTR	17LTR	17LTR
FRESH WATER CAPACITY	7LTR	7LTR	DIRECT FLUSH
COLOUR	WHITE	WHITE	WHITE

NEW C500 BASE TANKS PICTURE E

- TLTC500BTKR C500 BASE TANK RIGHT HAND
- TLTC500BTKL C500 BASE TANK LEFT HAND

FOR C400 BASE TANKS SEE NEXT PAGE

WE ARE THETFORD'S PREMIER SPARES CENTRE. WE ARE ABLE TO SUPPLY ANY THETFORD SPARE PART THAT IS CURRENTLY AVAILABLE & QUITE A RANGE OF OBSOLETE PARTS.

WE NOW OFFER INSTALLATION SERVICE IN KENILWORTH BY SupremeTech.co.uk



0844 414 2324



0844 414 2425

CASSETTE C400 RANGE

New elegantly designed bench model toilet for caravans and motorhomes. The award winning C400 range are elegantly designed toilets to match modern bathrooms.

Packed with innovative features such as the holding tank with wheels and a retractable carrying handle. Not as an option but standard on all C400 models. Stable thermoplastic rubber treaded wheels allow easy and reliable transport of the waste holding tank. Toilet waste holding tank transport with an ease never experienced before. The removable mechanism plate allows easy access to the waste holding tank inner for cleaning or service, a major feature of the C-400. No more fumbling in the dark! Comfortable seating position higher and deeper than models before, allowing for more comfort when in use. Plus more space for the feet due to the recessed base. Really practical in an often confined vehicle bathroom. The flowing curved shape allowing easy cleaning, leaving no dirt traps.

C400 Range Key Features

- Finish: white (RAL 9003)
- Electric touch button flush (12V)
- Waste holding tank with integrated wheels
- Waste tank with handy extendable carry / pull handle
- Removable plate allows access to waste tank interior for easy cleaning and service
- Integrated pour-out-spout: no handling of separate parts that get dirty
- Waste tank vent button allowing splash free emptying
- Weight: 8,5 kg

Cassette C402C

The starter model in the range, the Cassette C402C toilet has an integrated freshwater tank, powerful touch button electric flush and single led high level indicator for waste holding tank only. Easy waste transport: holding tank on wheels! **Optional external vent.**

Features:

- LED display indicates fill level of waste tank
- Waste tank capacity: 19,3L
- Integral freshwater tank capacity: 15L

TLTC402CL CASSETTE C402C LEFT HAND & DOOR 3

TLTC402CR CASSETTE C402C RIGHT HAND & DOOR 3

Cassette C402X

The Cassette C402X toilet has an integrated freshwater tank, powerful touch button electric flush and led level indicators for waste holding tank and flushwater tank. Easy waste transport: holding tank on wheels! A quick touch the flush button and the LED level indicator system displays how much capacity is still available in both flushwater tank and waste tank. **Optional external vent. This is our most popular C400.**

Features:

- LED display indicates fill level of waste tank and flush water tank in 3 steps
- Waste tank capacity: 19,3L
- Integral freshwater tank capacity: 15L

TLTC402XLD3 CASSETTE C402X LEFT HAND & DOOR 3

TLTC402XRD3 CASSETTE C402X RIGHT HAND & DOOR 3

Cassette C403L

The Cassette C403L toilet hooks up to the central water tank of the vehicle. Touch button electric flush. Easy waste transport: holding tank on wheels! A quick touch the flush button and the LED level indicator system displays how much capacity is still available in the waste holding tank. **External venting of waste tank standard.**

Features:

- LED display indicates fill level of waste tank 3 steps
- Waste tank capacity: 19,3L
- No integrated freshwater tank. Toilet connected to central water system of caravan or motorhome. Direct flush.

TLTC403LLD3 CASSETTE C403L LEFT HAND & DOOR 3

TLTC403LRD3 CASSETTE C403L RIGHT HAND & DOOR 3

SPARE BASE TANKS & ACCESSORIES

This is the base tank for the newer model C400 bench toilet as described above. Handling is identified as seated on the toilet.

TLTC400BTANKL C400 LEFT HAND BASE TANK

(Wheeled model)

TLTC400BTANKR C400 RIGHT HAND BASE TANK


(Wheeled model)

TLTC400VENT C400 THRU FLOOR OUTSIDE VENT

WE CAN SUPPLY ANY THETFORD SPARE PART THAT IS AVAILABLE

CONTESSA C400 TIP UP BASIN AND SHOWER TRAY

The new tip up designed specially for installation above and behind the C400 range. The standard Contessa Cabinet (VCTCABW) mounts above the Contessa C400 Tip Up (VCTIP400W) in the usual way. See Page 68. C400 universal shower tray see page 69.



SPARE BASE TANKS AVAILABLE



WE NOW OFFER INSTALLATION SERVICE BY SupremeTech.co.uk



THETFORD & DOMETIC CASSETTES & SOG SYSTEM



NEW THETFORD CASSETTE C260

The C260 Cassette Toilet is a 'facelift' the C250 Cassette Toilet. With its 2 x 90 degree revolving toilet bowl, the C-260 has several exciting new, improved features and a contemporary design. A more stable seat & cover, easier to clean bowl design and an improved flush are some examples. This toilet is also available with a full ceramic bowl for a true home-like sanitary experience. Enhanced seating comfort: the toilet bowl width and depth have been adjusted to provide maximum comfort. • A waste-holding tank (17.5L) on wheels with a pull-out handle. • A user-friendly control panel.

C262CWE with integrated 8 L flush water tank. Packed Complete with Thetford Door 3 and accessories in kit.

TLTC263CS C263CS DRAWS FLUSH WATER FROM ONBOARD PUMPED WATER SYSTEM

TLTC262CWE C262CWE ELECTRIC FLUSH FROM INTEGRATED FLUSH WATER

TLTC263CSC C263CS CERAMIC BOWL DRAWS FLUSH WATER FROM ONBOARD PUMPED WATER SYSTEM

TLTC262CWE C 2 6 2 C W E CERAMIC BOWL ELECTRIC FLUSH FROM INTEGRATED FLUSH WATER



THETFORD C260 RANGE

DOMETIC CT3000 CASSETTE

CT 3000 series with ceramic inlay
New toilet bowl design with scratch resistant ceramic inlay, stain-repellent and easy to clean. Comfortable and aesthetically pleasing. Innovative space-saving seat concept: 8 cm less depth than comparable products. The seat can also be adjusted [in 15° steps] up to 90° in both directions. More room in the bathroom. This gives more flexibility in confined spaces. Cassette tank [19 L] with telescopic handle and large, easy-running wheels for convenient transport to the disposal area. Pivoting spout facilitates tank discharge. Control panel with level indicator light warns you in good time before the tank level reaches the maximum level. Visual warning signal when the tank has been removed



CT3000 series

For vehicles without water supply the CTW 3110 toilet is supplied with an integrated flush water tank. The tank has a capacity of 7 litres and is easy to fill. Low in weight Weighs up to 30 % less than a ceramic toilet. Dometic SK5 locker door supplied as standard with each CT 3000-series toilet. Dimensions [W x H x D] 382 x 672 x 500 mm . Waste tank capacity 19 litres. 12v DC.

DCTS3110 CTS is designed for connection to onboard pumped water system.

DCTW3110 CTW has integrated 7 litre flush water tank with pump

DCT3110SBT SPARE CASSETTE BASE TANK for CT3000

CT 3000 series: prepared for SOG exhaust system

Unpleasant odours can easily become a problem in the small sanitary cabin of a campervan. This problem is efficiently solved with the SOG toilet ventilation system. It provides cleaner, fresher air by exhausting odorous gases to the outside via flexible tubing. Both CT 3000 models are prepared for installation of the SOG system so that it can be retrofitted with ease.

SOG SYSTEM – Chemical free operation of your toilet system

The SOG toilet ventilation kit converts your Thetford toilet into a chemical-free system which is not only a completely green solution but also banishes smells from the interior of your unit. No chemical smells and no smells from waste matter, even during use of the toilet. Toilet chemicals are no longer necessary and optimal decomposition is guaranteed by the increased flow of Oxygen. You can also use ordinary toilet paper. Supplied as a very simple diy-fit kit.

SOGDALL For C400's with or without fluid store under cassette



SOGD for toilets C400



SOGF for toilets C250/C260



SOGA for toilets C2 C3 C4



SOGB for toilets C200



SOG3000A for Dometic CT 3000



SOGPERM for PERMANENT FIXED HOLDING TANKS

C250/ C260 OPTIONAL UPGRADE KITS



TLTC250AFV Automatic fan vent upgrade



TLTC250CBFILT Spare carbon filter for C250AFV

DOMETIC 966 TOILET
Full size seat & lid for comfort & support. Sturdy construction-one piece tanks won't leak. Bellows flush 9.8 ltr fresh water capacity. 19 ltr holding tank capacity. Size 394H x 368W x 419D



DPT966

DPT966



DTT972G

DPP976G

Dometic 970 series portables

Small, but a big performer: handy and spacesaving, the 970 series adds hygienic comfort to your recreational vehicle. Many sensible functions are contained in the smallest possible space to ensure you can enjoy home-like comfort when travelling.

Portable toilet in two sizes and two colours
Push-button control for powerful flushing with less pumping
Extra-strong 360° pressure flush for effective cleaning. 8.7-litre flush water tank – sufficient for 27 flushes. Safety through overflow protection and tank level indicator. Ingenious disposal system: extra-long, pivoting spout and vent openings for clean, splash-free discharge. 972 - 333W x 317H x 387D 9.8 Ltr waste tank. 976 - 333W x 387H x 387D 18.9 Ltr waste tank.

DPT972G 972 WHITE/GREY

DPT976G 976 WHITE/GREY

Spare SOG parts and additional connectors available from our stock contact us for further information
WE NOW OFFER INSTALLATION SERVICE BY SupremeTech.co.uk



0844 414 2324



0844 414 2425